

## URVALIND ON EESTIS LEPALEMBENE

Lemming R o o t s m ä e  
Kroonuaia 22-1, Tartu EE-2400

Meie ja mitme teisegi maa ornitoloogilise kirjanduse andmetel tarvitavad urvalinnud pesitsusvälisel perioodil toiduks kõige sagedamini kase seemneid. Sakslased on selle alusel pannud linnule isegi nime (Birkenzeisig = kasesiisike).

Eestis on urvalind pigem leपालembene lind. Meie ornitofenoloogiliste vaatluskaustade andmetel on Eestis urvalinnu meelistoiduks hoopis lepa seemned: enamikul juhtudel on siin urvalinde nähtud toitumas leppadel. Tabel 1 näitab seda küllalt selgesti. Sama on juba varem oma põhjalike vaatluste najal leidnud E.Tuule (1978).

**Tabel 1.** Urvalinnu toitumiskohad ornitofenoloogiliste vaatluskaustade andmete põhjal aastatel 1976-1993.

**Table 1.** Feeding sites of *Carduelis flammae* according to the ornithophenological data in 1976-1993.

Toitumiskoht Feeding place	Sügisel (IX-XI) Autumn	Talvel (XII-II) Winter	Kevadel (III-V) Spring	Kokku/Total	
				arv/No	%
Lepp	89	68	94	251	62,8
Kask	24	15	25	64	16,0
Teised puud	17	2	6	25	6,2
Rohhtaimed	27	20	13	60	15,0
Kokku/Total	157	105	138	400	100,0

**Kirjandus:** TUULE E., 1978. Invasioonilindudest Sael 1976/1977.  
a. - Loodusevaatlusi 1977, I: 113-118.

*Carduelis flammea* is an alder-philous bird species in Estonia

According to the ornitophenological files outside the breeding season the Redpoll preferably feeds on the alder (62.8% of the observations), while, there have been indications of preferring birch seeds in literature.